

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)	
)	
Richard John Nighy, et al.)	Examiner:
)	
Int'l. Appln. No. PCT/GB2005/00201)	Group No.:
)	
Int'l. Filing Date: 21 January 2005)	
)	
Serial No.: 10/539,664)	
)	
Filed U.S.: 14 June 2005)	
)	
Title: FLUID METERING)	
)	
Atty Docket: IMV-40013)	

Mail Stop PCT
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT - 37 C.F.R. §1.97(b)

Sir:

Enclosed is a copy of Information Disclosure Citation Form PTO/SB/08A.


It is respectfully requested that the cited documents be considered and that the enclosed copy of Information Disclosure Citation Form PTO/SB/08A be initialed by the Examiner to indicate such consideration and a copy thereof returned to applicant.

Pursuant to 37 C.F.R. §197(b), the submission of this Information Disclosure Statement is not to be construed as a representation that a search has been made and is not to be construed as an admission that the information cited in this statement is material to patentability.

Pursuant to 37 C.F.R. §1.97, this Information Disclosure Statement is being submitted under 37 C.F.R. §1.97(b).

Should any fee be required, please charge Account No. 10-1324.

Respectfully submitted,



Michael Piontek, Reg. No. 25,605
Pyle & Piontek
221 North LaSalle Street, Suite 2036
Chicago, Illinois 60601
Telephone: (312) 236-8123
Facsimile: 312-236-5574

Dated: May 15, 2006

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO		Complete if Known	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT <i>(Use as many sheets as necessary)</i>		Application Number	10/539,664
		Filing Date	June 14, 2005
		First Named Inventor	Richard John Nighy
		Art Unit	
		Examiner Name	
Sheet	of	Attorney Docket Number	IMV-40014

FOREIGN PATENT DOCUMENTS					
Examiner Initials*	Cite No. ¹	Foreign Patent Document	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages Or Relevant Figures Appear
		Country Code ³ -Number ⁴ -Kind Code ⁵ (if known)			
A	PCT WO 95/31247		11-23-95	Abbott Laboratories	

Examiner Signature		Date Considered	
-------------------------------	--	----------------------------	--

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹ Applicant's unique citation designation number (optional). ² See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.